

# INCHIOSTRI PER STAMPANTI VIDEOJET

Ink #	Makeup #	Videojet Ink #	Product Type	Notes
SR42	SR42MU	16-42SR 16-50SR	Acetone	plug and play for 16-SR50
SR80	SR85 SR850	16-80SR <b>Plug &amp; Play</b>	Ketone	* MP contains (1) SR80 and (3) SR85 MP CLR contains (1) SR80 and (3) SR850 <b>12 month shelf life</b> **
10	105	N/A	Ketone	General Purpose <b>Black Ink</b> , glass,metals, plastics based, methanol-free Blacker, Fade resistant, better adhesion on most surfaces penetration to oily surfaces when replacing 16-8200 Ketone - Better Flush required <b>24 month shelf life</b>
11	115	16-8200 16-8700 <b>Plug &amp; Play 16-8200 Ink Refresh 16-8700</b>	Methanol	General Purpose <b>Black Ink</b> Recommended for Bakery and Dairy applications Methanol based, Ketone-free Excellent adhesion to glass rinnability equal to 16-8200 Recommended where caustic washability is required. for printing on polycarbonate water bottles Printer Great <b>24 month shelf life</b>
11 BLU	115	16-7900 <b>Flush</b>	Methanol	General Purpose <b>Blue Ink</b> version of 11 ink Excellent replacement for 16-7900 in most cases without the sensitivity to humid conditions adhesion to glass Blue Good <b>24 month shelf life</b>
11 CWP	115 or 501	Exclusive IJ Development	Methanol	Recommended for water bottling and other applications that require safe code removal using a lower concentration of caustic wash Recommended for Bakery and Dairy applications <b>24 month shelf life</b>
11 RED	115 or 501	16-8300 or 16-8100 <b>Plug &amp; Play 16-8300 Ink Refresh 16-8100</b>		General Purpose <b>Red Ink</b> Recommended for Bakery and Dairy applications <b>24 month shelf life</b>
12	125 or 501	16-2300 <b>Plug &amp; Play</b>	Methanol	Methanol <b>Invisible Fluorescent Ink</b> Replacement for 16-2300 Incompatible with 16-2330 and 16-2440 inks blush when exposed to water heat and prolonged exposure to sunlight Will Fade with <b>24 month shelf life</b>
15i	509 i or 509	16-8700 <b>Plug &amp; Play* (See Notes)</b>	Methanol	Black Graphics Ink comparable to 16-8700 to plastics and coated paper graphics application humidity is a concern large temp swings are encountered Adheres well Uses 509 makeup in Uses 509i where high High maintenance ink where Used when water tolerance is needed. <b>**The OEM product has a particular problem. The customer can switch to our product without a flush if they are not experiencing problems with the ink, otherwise a flush and filter change is required.</b> <b>24 month shelf life</b>
15i CYN	509i/509	16-8740 <b>Plug &amp; Play w/ Ink Refresh</b>	Methanol	<b>12 month shelf life</b>
15i GRN	509i/509	16-8730 <b>Plug &amp; Play w/ Ink Refresh</b>	Methanol	Green Graphics Ink comparable to 16-8730 to plastics and coated paper graphics application humidity is a concern large temp swings are encountered needed. Adheres well Uses 509 makeup in Uses 509i where high High maintenance ink where Used when water tolerance is needed. <b>24 month shelf life</b>
15i GRY	509i/509	None	Methanol	<b>Grapics COLORS Same Application as 16-8700</b> <b>12 month shelf life</b>
15i RED	509i/509	16-8710 <b>Plug &amp; Play w/ Ink Refresh</b>	Methanol	<b>Grapics COLORS Same Application as 16-8700</b> <b>24 month shelf life</b>

15i YEL	509i/509	None	Methanol	12 month shelf life
16 HVR	155	None	Methanol	High Vis Red , Fast Dry, Pricing dependent on quantity 24 month shelf life
17	175		Ketone	No Methanol
17i	175i	16-8420 (SEE NOTES) Plug & Play w/ Ink Refresh	Ketone	General Purpose <b>Black</b> Ink, glass, metal, plastics. More aggressive, better adhesion than 16-8200 Replaces 16-8420 in most applications with the exception to alcohol resistance with a good penetration to oily surfaces Penetrates slight layer of condensation, cold fill application. Resistant to caustic wash 24 month shelf life
17i DBL	175i	None	Ketone	Blue version of 17i
17 GRN	175i	None	Ketone	<b>Green</b> Ink, Pricing dependent on quantity ordered 24 month shelf life
17i HVR	175i	None	Ketone	<b>High Visibility Red Ink</b> , for printing on Black substrates End-user properties similar ink
17i ORG	175i	None	Ketone	<b>Orange</b> ink, Pricing dependent on quantity ordered 24 month shelf life
17 RED	175i	None	Ketone	<b>Red</b> version of 17 ink, high viscosity not work in Excel 37e printer May 24 month shelf life
17i RED	175i	None	Ketone	Lower viscosity Red ink Use in all printers Will work well in Excel 37e printer 24 month shelf life
17i YEL	175i	None	Ketone	<b>Yellow</b> ink, for printing on white substrates, Unsuitable for black substrates 24 month shelf life
19	195		Ketone	Excellent choice for DRY glass bottling applications Easily removable on returnable glass with 2-3% caustic wash Fast dry time (1-2 sec) where water resistance is required Excellent adhesion to glass, metal, and plastic 24 month of shelf life
20	205	16-5600 Plug & Play	Ketone	<b>Milspec</b> Ink, Comparable to 16-5600 Critical to use 2050 cleaner to wash off 20 ink Alcohol-resistant ink IR - readable ink Fade resistant, good adhesion to glass Non- thermochromic replacement for 16-8600 24 month shelf life
20 RED	205	None Plug & Play	Ketone	<b>Red version of 20 ink</b> <b>Critical</b> to use 2050 cleaner to wash off 20 ink 24 month shelf life
23 INV	265	16-2330/ 16-2340 Flush	Ketone	Invisible fluorescent ink suited for non-porous industrial products (glass, metal and plastic). This ink becomes visible when exposed to long wave ultra-violet light of 365 nm. 12 month shelf life
24 BLU	245	16-8540 16-8550 Flush	Ketone Methanol	Superior performance for wet bottling applications Better adhesion to WET glass, than 19 Easier removal with caustic solution verses Videojet 16-8540 and 16-8550. Requires 1 hour cure time prior to ice bucket soak resistance 12 month shelf life
25P WHT	501	16-2520 Plug & Play	Ketone Methanol	White pigmented ink developed to run in Videojet Excel pigmented printer Provides a bright, high contrast opaque mark on dark substrates such as glass, plastic, and polyethylene painted product. Dry time (less 3 sec.) SHAKE WELL BEFORE USE. Refer to data sheet for special ink storage instructions 6 month shelf life
25P YEL	501 or 510	16-2500 Plug & Play	Ketone Methanol	Yellow pigmented ink developed to run in Videojet Excel pigmented printer Provides a bright, high contrast yellow mark on dark substrates such as glass, plastic, and polyethylene painted products. Dry time (less 3 sec.) depending upon substrate and environment Refer to data sheet for special ink storage instructions 6 month shelf life

26	265		Ketone	<p><b>Black, darkest</b> ink jet ink Requires special changeover procedure. Incompatible w/ Alcohol Retort (heating/sterilization) ink Wire and cable ink, excellent adhesion to glass, most plastics Will run in VJ 37e printer</p> <p style="text-align: right;"><b>24 month shelf life</b></p>
27	275 or 518	16-5700 <b>Plug &amp; Play w/ Ink Refresh</b>	Ketone	<p><b>Black</b> Fast Dry (&lt; 1 sec) Ink, replacement for 16-5700 than 16-5700 <span style="float: right;">Darker</span> Special printer shutdown procedure as in 16-5700 Excellent on Vinyl substrates for Wire and Cable appl. Good adhesion to treated polyolefins and other plastics</p> <p style="text-align: right;"><b>24 month shelf life</b></p>
27 BLU 27 GRN 27 ORG 27 RED 27 YEL	275 or 518		Ketone	<p style="text-align: center;"><b>Colors for wire marking</b></p> <p>Excellent on Vinyl substrates for Wire and Cable application <span style="float: right;">27 YEL</span> is transparent, will not be readable on dark substrates</p> <p style="text-align: right;"><b>12 month shelf life</b></p>
28	576	16-7620 16-7600 <b>Plug &amp; Play w/ Ink Refresh</b>	Ketone	<p><b>Black</b> Improved version of 16-7620 Improved adhesion on HDPE and other plastics Excellent on Vinyl substrates for Wire and Cable application</p> <p style="text-align: right;"><b>24 month shelf life</b></p>
29 BLU	607	16-2900 <b>Plug &amp; Play</b>	Ketone	<p><b>Pigmented ink (Does not require pigmented printer)</b> <span style="float: right;">Has</span> excellent light fastness (fade resistance) Heat (autoclave) resistant Excellent for pharmaceutical &amp; cable industries Excellent on PVC, metal, plastic</p> <p style="text-align: right;"><b>12 month shelf life</b></p>
29P LT Blue	295	16-2562 <b>Flush w/ fliter change</b>	Ketone	<p><b>Limited Release Shows up well on almost any color. Excellent contrast on white as well as black substrates</b></p> <p style="text-align: right;"><b>6 month shelf life</b></p>
29 RED	607	16-2800 <b>Plug &amp; Play</b>	Ketone	<p><b>Pigmented ink (Does not require pigmented printer)</b> <span style="float: right;">Has</span> excellent light fastness (fade resistance) Heat (autoclave) resistant Excellent for pharmaceutical &amp; cable industries Excellent on PVC, metal, plastic</p> <p style="text-align: right;"><b>12 month shelf life</b></p>
29P W	295	16-2560 <b>Flush w/ fliter change</b>	Ketone	<p style="text-align: center;">White <b>Pigmented</b> ink <b>Excellent durability for wire and cable</b> <b>Shows up well on dark substrates</b></p> <p style="text-align: right;"><b>6 month shelf life</b></p>
29i P W	295		Ketone	<p style="text-align: center;">White <b>Pigmented</b> ink <b>6 month shelf life</b></p>
29 YEL	295	16-2570 <b>Flush w/ fliter change</b>	Ketone	<p>Opaque yellow <b>Pigmented</b> ink (<b>Does not require a pigmented printer</b>) Excellent adhesion to most plastics such as PVC, acrylic, PET, polystyrene, and nylon Exceptional rub resistance to motor oil, caustic wash, anti freeze transmission fluid, windshield washer, and 10% acid</p> <p style="text-align: right;"><b>12 month shelf life</b></p>
31i	315i	16-7130 Flush	Ethanol	<p>Excellent adhesion on plastic, metal and glass Ethanol based ink - MEK and Methanol free Dry time of 2 - 4 seconds depending on the substrates 12 month shelf life</p>
33	275/518	16-5733 <b>Plug in Play</b>	Ketone	<p>Used for electronic industry</p> <p style="text-align: right;"><b>24 month shelf life</b></p>
34i 35-Q	518 or 611	16-8530 <b>Plug &amp; Play w/ Ink Refresh</b>	Ketone	<p>Excellent penetration and adhesion to waxy or greasy substrates, such as those used in packaging milk and juice products <span style="float: right;">Secondary</span> substrates include glass bottles, metal cans and coated paper stock Penetrates condensation, excellent for freezer and cold storage substrates</p> <p style="text-align: right;"><b>24 month shelf life</b></p>
40i	452	16-4530 & 40 <b>Plug &amp; Play w/ Ink Refresh</b> 16-4510 <b>Flush</b>	Acetone	<p style="text-align: center;">General Purpose <b>Black</b> ink with Excellent adhesion to glass Methanol and MEK free, Low VOC ink Recommended in all VJ Printers, in Excel UHS requires daily maintenance</p> <p style="text-align: right;"><b>12 month shelf life</b></p>

47	265	16-8470 <b>Plug &amp; Play w/ Ink Refresh</b>	Ketone	Fast dry, black ink designed for videojet printers and will code on flexible packaging films such as coated and uncoated BOPP and OPP typically used in the tobacco and food packaging industries. Excellent adhesion on coated plastic cards used in the telecommunications and credit card industries.
52	520	16-1200 16-5020 <b>Plug &amp; Play w/ Ink Refresh</b>	Water	<b>Black</b> Improved version of 16-5020 Dries as fast as or even faster depending on substrates Equal to or better print contrast depending on substrates Piggyback w/ ink refresh and recalibration  <b>36 month shelf life</b>
60	504	16-8600 <b>Plug &amp; Play</b>	Ketone	Developed to print on metal cans and plastic pouches before retort. Moderate to rapid dry time, usually less than 1-3 seconds. 60 ink can withstand the retort process with minimal effect on the printed message and by design the retort process changes the ink color from black to blue. <b>18 month shelf life</b>
63	175	16-8630 and 16-8620 <b>Plug &amp; Play w/ Ink Refresh**</b>	Ketone	This ink changes color when exposed to heat and moisture during the retort process used in the can food industry. Changes from black to red. <b>Must use 175 as makeup</b> <b>**16-8620 has been known to have precipitation problems which can form and leave behind particles in the printer. If the customer is experiencing problems with 16-8620, a flush and filter change is required prior to loading the 63 ink.</b> <b>12 month shelf life</b>
64 FT	645	16--8640 Flush	Alcohol	Black to blue thermochromic ink. Alcohol <b>12 month shelf life</b>
65 FT	655	16-8650/ Easterday 4150 Flush	Alcohol	Black to blue thermochromic ink. MEK and Methanol free <b>12 month shelf life</b>
78 BLU	501	16-8000 <b>Plug &amp; Play w/ Ink Refresh</b>	Ketone	<b>Purple Ink with excellent resistance to solvents used in the automotive industry.</b> Can penetrate thin layer of oil on metal auto components Applications include canning, automotive, and all metal and plastic packaging. <b>24 month shelf life</b>
78 RED	501	16-8000 <b>Flush</b>	Ketone	<b>Red Ink with excellent resistance to solvents used in the automotive industry</b> Can penetrate thin layer of oil on metal auto components Applications include canning, automotive, and all metal and plastic packaging. <b>24 month shelf life</b>
79	503	16-7900 <b>Plug &amp; Play</b>	Ketone	<b>Purple</b> General Purpose Ink Excellent adhesion on glass, metal, plastic, paper For applications on cans or aerosols where penetration of a light oil coating is required 1-3 second dry time <b>24 month shelf life</b>
81 Red	815		Ethanol	Red HAPs-free ink Methanol and MEK free <b>24 month shelf life</b>
81 INV	815		Ethanol	Invisible HAPs-free ink Methanol and MEK free <b>24 month shelf life</b>
82	501	16-8200 <b>Plug &amp; Play</b>	Ketone	General Purpose <b>Black</b> Ink Slightly faster dry time and darker print on most substrates vs. the 16-8200 Ideal choice on returnable glass bottles, where easy code removal is desired <b>18 month shelf life</b>
82 RED	503	16-8300 <b>Plug &amp; Play</b>	Ketone	General purpose fluorescent red color ink for Videojet printers. Typical applications include glass or plastic containers, machined parts, plastic or metal lids, and resin-coated paper stock. <b>18 month shelf life</b>
84	265		Ketone	new version of 30i Exhibits superior alcohol rub resistance Excellent adhesion on plastic, metal and glass Exhibits enhanced chemical resistance to soaps and lubricants Has excellence light fastness (fade resistance)  <b>24 month shelf life</b>

85FT	545	16-8540 & 16-8550	Ketone	WET Cold Glass Ink BLACK in color Superior performance Wet Glass Ink Easy removal with Caustic solution better than 16-8540/8550 Requires one hour cure time prior to ice bucket soak resistance <b>12 month shelf life</b>
85YEL-FT	295	16-8570 <b>Plug &amp; Play</b>	Ketone	General purpose yellow pigmented ink No Pigment printer needed Typical applications include glass or plastic containers, metal. <b>6 month shelf life</b>
92BLUFG	915FG	16-9230	Water	Blue Eggshell ink
92REDFG	915FG	16-9210	Water	Red Eggshell ink
90FT	905FG	16-9000	Ethanol	Blue EggShell ink Mfg under Good Mfg Practices <b>12 month shelf life</b>
93FT	935FG	16-9301 Plug and Play	Ethanol	Red EggShell ink Mfg under Good Mfg Practices <b>12 month shelf life</b>
94FT	905FG	16-9400 Plug	Ethanol	Light Blue Ink Food Grade for Diaper Application
ATZ800066	ATZ800067	AZ800066 <b>Plug &amp; Play</b>	Acetone/ Ethanol	MEK and Methanol free <b>Black Ink</b> for SR/Print Pro Dry time of 1 - 2 depending on substrates <b>12 month shelf life</b>
VW602	WIL201-0001-401	V0001-602 <b>Plug &amp; Play</b>	Ketone	Black General purpose ink wirejet printer Superior printing and excellent adhesion on substrates such as plastics, metal, paper, wood, ceramic and glass. Will survive the Autoclave process when printed on glass, rigid plastics and metals. Dry time is typically at 0.5-1.5 seconds depending on the ambient
VW-090FG-C	VW-910-C	V495-D	Ethanol	Blue EggShell ink Mfg under Good Mfg Practices <b>18 month shelf life</b>
VW-093FG-C	VW-910-C	V495-D	Ethanol	Red EggShell ink Mfg under Good Mfg Practices <b>18month shelf life</b>
VW-103-C	VW-403-C	V410-D	Ketone	Excellent penetration and adhesion to waxy or greasy substrates, such as those used in packaging milk and juice products Secondary substrates include glass bottles, metal cans and coated paper stock Penetrates condensation, excellent for freezer and cold storage substrates <b>18month shelf life</b>
VW-104-C	VW-404-C	V401-D	Ketone	General Purpose Black Ink, glass, metal, plastics. More aggressive, better adhesion than 16-8200 Replaces 16-8420 in most applications with the exception to alcohol resistance with a good penetration to oily surfaces Penetrates slight layer of condensation, cold fill application Resistant to caustic wash <b>18month shelf life</b>
VW-106-C	VW-406-C	V411-D	Ketone	fast dry, black ink designed for Videojet printers and will code on flexible packaging films such as coated and uncoated BOPP and OPP typically used in the tobacco and food packaging industries. Excellent adhesion on coated plastic cards used in the telecommunications and credit card industries. <b>18 month shelf life</b>
VW-103-AC	VW-403-AC	V410-AD	Ketone	Excellent penetration and adhesion to waxy or greasy substrates, such as those used in packaging milk and juice products Secondary substrates include glass bottles, metal cans and coated paper stock Penetrates condensation, excellent for freezer and cold storage substrates <b>18month shelf life</b>
VW-104-AC	VW-404-AC	V401-AD	Ketone	General Purpose Black Ink, glass, metal, plastics. More aggressive, better adhesion than 16-8200 Replaces 16-8420 in most applications with the exception to alcohol resistance with a good penetration to oily surfaces Penetrates slight layer of condensation, cold fill application Resistant to caustic wash <b>18month shelf life</b>
VW-106-AC	VW-406-AC	V411-AD	Ketone	Fast dry, black ink designed for Videojet printers and will code on flexible packaging films such as coated and uncoated BOPP and OPP typically used in the tobacco and food packaging industries. Excellent adhesion on coated plastic cards used in the telecommunications and credit card industries. <b>18 month shelf life</b>
VW-211-C	VW-411-C	V461-D	Ethyl Acetate	Ethyl acetate black ink <b>18 month shelf life</b>

VW-412-C	VW-717-C	V412-D	Ketone	black ink	18 month shelf life
VW-437-C			Ketone	black ink mek base	18 month shelf life
VW-459-C	VW-404-C	V459-D	Ketone	UV invisible (clear) ink	18 month shelf life
VW-490-C	VW-720-C	V490-C	Ketone	white pigmented ink	6 month shelf life
VW-505-C	VW-820-C	V505-D	Ketone	UV invisible (clear) ink	18 month shelf life
VW-506-C	VW-814-C	V506-D	Ketone	black ink	18 month shelf life
VW-507-C	VW-822-C	V507-D	Ketone	black ink	18 month shelf life

## INCHIOSTRI PER STAMPANTI DOMINO

Ink #	Makeup #	Domino Ink #	Product Type	Notes
801i	0120i CLR	BK0101 Plug & Play	Ketone	Reservoir is supplied with 2000hrs timer Chip
801i RED	0120i CLR	N/A	Ketone	Red Ink ERC=extended run chip (2000 hrs) 12 month shelf life
807i	0720 CLR	BK0701 Plug & Play	Ketone	Alkali washable with excellent adhesion ERC=extended run chip (2400 hrs) Infinite Run Chips are sold separately. Please refer to the glossary for the part # and pricing. 12 month shelf life
807i BLU	0720 CLR	BL0702 Flush	Ketone	Perform similar 807i 24 month shelf life
823	2320 CLR	BK2301 Flush w/ filter change	Ketone	Black Retortable Ink ERC=extended run chip (2000 hrs) Infinite Run Chips are sold separately. Please refer to the glossary for the part # and pricing. 12 month shelf life
827	8271	BK2701 Flush w/ filter change	Ketone	Black wire marking ink, replacement for BK2701 printer flush during changeover Infinite Run Chips are sold separately. Please refer to the glossary for the part # and pricing. Requires complete Fast drying 18 month shelf life
829	2920 CLR	BK2901 Flush	Ethanol	JetArray Black Alcohol ink excellent for bakery and dairy industry ERC=extended run chip (2000 hrs) Infinite Run Chips are sold separately. Please refer to the glossary for the part # and pricing. 24 month shelf life
DOM 0741	740	RF0741 Plug & Play	Ketone	For use in a Bit-jet printer Direct replacement for Domino RF-0741 ink Used for mailing, postal systems. Well suited for graphics applications including coated paper stock. 12 month shelf life
DOM 2501	2520 CLR	BK2501 Flush w/ filter change	Methanol	JetArray black alcohol ink General purpose ink Advisable for an IJI Service Engineer to perform JetArray conversions Infinite Run Chips are sold separately. Please refer to the glossary for the part and pricing. 12 month shelf life
DOM 6601	DOM 6620	BK2501 Super Flush BK9601 Flush w/ filter change	Acetone	JetArray black acetone ink **A flush and filter change is required and it is highly recommended that a service Engineer be involved in the process. 12 month shelf life

DOM 9601	Dom 9621	BK 9601 <b>Plug &amp; Play</b> <b>**See Notes</b>	Acetone	Used for graphic applications and with a dry time of less than 2 seconds. **DOM 9601 does not require a flush prior to the ink conversion when replacing BK9601, however a flush is highly recommended due to the high maintenance requirements of BK9601. If DOM 9601 is replacing a methanol based ink such as BK2501 or IJI's DOM 2501, a full flush with 960s Ultra Flush and filter change is required. <b>12 month shelf life</b>
JA7001	2121	BK7001 <b>Plug &amp; Play</b>	Ketone	JetArray Black Ketone ink <b>24 month shelf life</b>

## INCHIOSTRI PER STAMPANTI DOMINO SERIE A

Ink #	Makeup #	Domino Ink #	Product Type	Notes
DOM I227	DOM227	IC-227BK <b>Flush</b>	Ketone	<b>12 month shelf life</b>
DOM I236	DOM236	IC- 236BK <b>Plug &amp; Play</b>	Ketone	<b>12 month shelf life</b>
DOM I270	DOM270	IC-270BK <b>Plug &amp; Play</b>	Ketone	<b>24 month shelf life</b>
DOM I261	DOM261	IC-261YL <b>Plug &amp; Play</b>	Ketone	<b>24 month shelf life</b>
DOM I222 (DOM I291)	DOM222	IC-291BK <b>Plug &amp; Play</b>	Ketone	<b>12 month shelf life</b>
DOM I295	DOM295	IC-295BK <b>Plug &amp; Play</b>	Ketone	<b>12 month shelf life</b>
DOM I038	DOM138	IC-191BK <b>Plug &amp; Play</b>	Ethanol	<b>12 month shelf life</b>
DOM I299	DOM299	IC-299	Ketone	<b>12 month shelf life</b>
DOM I252WT	DOM252	IC-252 WHITE	Ketone	
DOM I253WT	DOM252	IC-253 WHITE	Ketone	
DOM I899	DOM899	IC-899BK <b>Flush</b>	Acetone	<b>12 month shelf life</b>
DOM8001F	BK8001F	Domino MacroJet	Water	5 Litres Bag in a Box
DOM8101F	BK8101F	Domino MacroJet	Ethanol	5 Litres Bag in a Box
DOM8201F	BK8201F	Domino MacroJet	Mek	5 Litres Bag in a Box
DOM8601F	BK8601F	Domino MacroJet	Mek	5 Litres Bag in a Box
DOM8402F	BK8402F	Domino MacroJet	Ethanol	5 Litres Bag in a Box
DOM I901BK	IL901BK	Oil Base	1 litre	

## INCHIOSTRI PER STAMPANTI IMAJE

Ink #	Makeup #	Imaje Ink #	Product Type	Notes
IMA50	IMA505	Imaje 5550 <b>Flush w/ filter change</b>	Ethanol	Black, general purpose ink suited to print on metal, glass and plastic. This ethanol based ink is specifically designed to meet the environmental requirements that are required for MEK and Methanol free ink. <b>12 month shelf life</b>
2159-H	303	Imaje 9174 Imaje 5135 Imaje 9154-9155 Imaje 9175 Imaje 5157E <b>Plug &amp; Play</b>	Ketone	Formulated for excellent adhesion to plastics Can also be used as general purpose black ink One second dry time <b>18 month shelf life</b>
IMA554	IMA154	5554 <b>Flush</b>	Ketone	For Printing on wire and cable, also PVC. 1-2 second dry time Excellent lightfastness <b>12 month shelf life</b>
IMA5117	IMA5118	5117 <b>Flush</b>	Ketone	For Printing on wire and cable, also PVC. 1-2 second dry time Excellent lightfastness <b>12 month shelf life</b>
IMA5149		Imaje 5149 <b>Flush</b>	Ketone	White pigmented ink. <b>6 month shelf life</b>
IMA5160		Imaje 5160 <b>Flush</b>	Ketone	White pigmented ink. <b>6 month shelf life</b>
IMA5151	IMA5152	Imaje 5151 <b>Flush</b>	Ketone	Yellow pigmented ink. <b>6 month shelf life</b>



IMA5132		Imaje 5132 <b>Flush</b>	Ketone	Yellow pigmented ink. <b>6 month shelf life</b>
IMA5553	IMA255	Imaje 5553 <b>Plug &amp; Play</b>	Ketone	Invisible fluorescent ink developed for non-porous industrial products such as glass, metal and plastic. <b>12 month shelf life</b>

## INCHIOSTRI PER STAMPANTI WILLET

Ink #	Top up #	Willet Ink #	Product Type	Notes
WIL601	WIL601	201-0001-601 <b>Plug &amp; Play</b>	Ketone	General purpose black ink for most plastics and metals <b>12 month shelf life</b>
VW602	WIL602	201-0001-602 <b>Plug &amp; Play</b>	Ketone	Black General purpose ink Willet/VJ printer Superior printing an excellent adhesion on substrates such as plastics, metal, paper, wood, ceramic and glass. Will survive the Autoclave process when printed on glass, rigid plastics and metals. Dry time is typically at 0.5-1.5 seconds depending on the ambient conditions and substrate. <b>18 month shelf life</b>
WIL630	WIL630	201-0001-630 <b>Plug &amp; Play</b>	Ketone	Black Ink <b>12 month shelf life</b>
WIL603	WIL603	201-0001-603 <b>Plug &amp; Play</b>	Ketone	General purpose red ink for most plastics and metals <b>12 month shelf life</b>
WIL644	WIL644	201-0001-644 <b>Plug &amp; Play</b>	Ketone	Alcohol Resistant Black Ink
WIL624	WIL624	201-0001-624 <b>Plug &amp; Play</b>	Poly	Diaper Blue Ink- Wetness Indicator <b>12 month shelf life</b>
WIL619	WIL619	201-0001-619 <b>Plug &amp; Play</b>	Ketone	General Purpose Fast Drying MEK Black Ink <b>12 month shelf life</b>
WIL626	WIL626	201-0001-626 <b>Plug &amp; Play</b>	Ketone	Mek Autoclave Black Ink <b>12 month shelf life</b>
WIL607	WIL607	201-0001-607 <b>Plug &amp; Play</b>	Ethanol	Ethanol General Pourpose Black Ink <b>12 month shelf life</b>
WIL012	WIL012	201-CJ01-012 <b>Plug &amp; Play</b>	Ketone	MEK Polycoding Black Ink <b>12 month shelf life</b>
WIL013	WIL013	201-CJ01-013 <b>Plug &amp; Play</b>	Ketone	Alcohol resistant Black Ink <b>12 month shelf life</b>
WIL033	WIL033	201-CJ01-033 <b>Plug &amp; Play</b>	Ketone	General Purpose Blue Ink <b>12 month shelf life</b>
WIL211	WIL211	201-CJ01-211 <b>Plug &amp; Play</b>	Ethyl Acetate	Ethyl Acetate General Purpose Black Ink <b>12 month shelf life</b>
WIL085	WIL085	201-CJ04-085 <b>Plug &amp; Play</b>	Ketone	White Pigmented Ink <b>6 month shelf life</b>
WIL681	WIL681	V0001-681 <b>Plug &amp; Play</b>	Ketone	General Purpose Black Ink - Cold Fill Glass <b>12 month shelf life</b>
WIL030	WIL201-0001-030	L(12) Case	Water	
WIL019	WIL201-0001-019	L(12) Case	Water	
WIL801	WIL201-0001-801	L(12) Case	Mek	
WIL802	WIL201-0001-802	L(12) Case	Mek	
WIL201-0001-919	WIL919	201-0001-919	0,5 Litres	
Xaar Ink	XAAR INK	Oil Base	0,5 Litres	

## INCHIOSTRI PER STAMPANTI LINX

Ink #	Makeup #	O.E.M. Ink #	Product Type	Notes
LIN 31	LIN 2500	LINX 2030 <b>Plug &amp; Play</b>	Ethanol	General purpose black ink for printing on dry plastics, metal, and glass substrates. <b>12 month shelf life</b>
LIN 1010	LIN 1505	LINX 1010	Ketone	
LIN 1014	LIN 1505	LINX 1014	Ketone	
LIN 1039	LIN 1606	LINX 1039	Ketone	Yellow ink
LIN 1055	LIN 1505	LINX 1055	Ketone	
LIN 1059	LIN 1606	LINX 1059	Ketone	White ink
LIN 1240	LIN 1512	LINX 1240 Matthews L219 <b>Plug &amp; Play</b>	Ketone	Very fast drying general purpose ink * HL 45 VP includes ((4) LIN1240 - HL45 and (6) LIN1512 – HL45)) HL 38 VP includes ((4) LIN1240 - HL45 and (6) LIN1512 – HL38)) <b>18 month shelf life</b> **



LIN 3103	LIN 3501	LINX 3103 Plug & Play	Acetone	For use on tin, aluminum, steel, HDPE, PE and paperboard * HL 45 VP includes ((4) LIN3103 - HL45 and (6) LIN3501 – HL45)) HL 38 VP includes ((4) LIN3103 - HL45 and (6) LIN3501 – HL38)) Free Ink <b>24 month shelf life</b>	** HAPS
LIN 1305	LIN 1505	LINX 1305 Plug & Play	Ketone	White ink	
LIN8120		LINX8120	oil		

## INCHIOSTRI PER STAMPANTI LEIBINGER

InkJet Ink #	InkJet Make-up #	Leibinger Ink #	Product Type	Notes
LEI 702	LEI 701	70000-00001Flush	Ketone	Black Ink
LEI 723	LEI 701	70000-00023	Ketone	Black Ink
LEI 730	LEI 731	70000-00030	Ketone	Black Ink
LEI 715	LEI 770	70000-00004Flush	Ketone	Yellow Pigmented ink

## INCHIOSTRI PER STAMPANTI HITACHI

Ink #	Make-up #	Hitachi Ink #	Product Type	Notes
1043	TH-18	JPK62	Ketone	General purpose black ink. Superior printing and excellent adhesion on substrates such as plastics, metal, paper, wood, ceramic and glass. <b>18 month shelf life</b>
1045	TH-TYPE-A	JPK67	Ketone	General purpose black ink. Superior printing and excellent adhesion on substrates such as plastics, metal, paper, wood, ceramic and glass. <b>18 month shelf life</b>
1046	TH-18	JPK33	Ketone	Black ink. <b>18 month shelf life</b>
1047	TH-69	JPK69	Ketone	Black ink. <b>18 month shelf life</b>
1048	TH-18	JPK72	Ketone	Black ink. <b>18 month shelf life</b>
HI-26	HI-THB	JPK 26	Ketone	Black ink. <b>18 month shelf life</b>

## Inchiostri base acqua Drop-On Demand per superfici porose

Ink #	O.E.M. Ink #	Product Type	Notes
<b>131 (Black)</b>	IJ-P-BK2-G5 P-BK2-Q	IJ-Water	
<b>131S (Black)</b>	16-6000 IJ-P-BK-G5 IJ-P-BK-Q P-BK-G50	IJ-Water	<b>Marsh's Megajet will need HS inks. High strength for porous corrugated stock.</b>
<b>112 (Blue)</b>	16-6200	Water	Standard strength blue for porous corrugated stock.
	IJ-P-BL-G5		
	IJ-P-BL-Q		
<b>113 (Red)</b>	16-6100	Water	Standard strength red for porous corrugated stock.
	IJ-P-R-G5		
	IJ-P-R-Q		
<b>114 (Green)</b>	16-6300 IJ-P-GR-G5 IJ-P-GR-Q	Water	Standard strength green for porous corrugated stock. High strength for porous corrugated stock.

## Inchiostri base solvente Drop-On Demand per superfici non porose

Ink #	O.E.M. Ink #	Product Type	Ink #	Notes
<b>201 LC</b>	20144 IJ-NP-BK-Q IJ-NP-BK-G5	Black Ink	Ethanol	
<b>202 LC</b>	20155 J-NP-BL-G5	Blue Ink	Ethanol	

203 LC	J-NP-R-G5	Red Ink	Ethanol	
204 LC	J-NP-G-G5	Green Ink	Ethanol	
1100 LC	J-NP-S-G5	Solvent Ink	Ethanol	

### Inchiostri base solvente Drop-On Demand per superfici non porose

Ink #	O.E.M. Ink #	Product Type	Ink #	Notes
227 LC	20577 FD20593	Black Ink	Ketone	
279	FD20580	Red Ink	Ketone	
280	FD20578	Blue Ink	Ketone	
1000	20576 20582	Solvent	Ketone	

### INCHIOSTRI UNICORN

Ink #	Videojet/ Marsh #	Product Type	Ink #	Notes
U-Ink	Unicorn Cartridges P-Ink	20943		<ul style="list-style-type: none"> <li>Black water based large charcter DOD ink</li> <li>Provides dark, high contrast mark on porous and semi-porous carton coding applications.</li> <li>Packaged same as OEM product in a 7.8oz pressurized, non aerosol bladder bottle</li> <li>U-Ink will dry by absorption into the substrate.</li> </ul>
U-Solvent	P-Solvent	20947		<ul style="list-style-type: none"> <li>Used to clean the printer internally as needed.</li> </ul>

### INCHIOSTRI AD ALTA RISOLUZIONE

Ink #	Videojet/ Marsh/ Trident	Product Type	Ink #	Notes
272	23221 BC-77	Oil Base		Black Oil Base ink for Trident based printers
J23162AD	AD-1 Black Ink	Oil Base		Black Oil Base ink for Marsh based printers
Scantrue Ink	ST2059BC	Oil Base		Black Oil Base Pigmented ink for Trident based printers
271	HR2000 29728	Oil Base		Black Oil Pigmented ink for Marsh and Videojet printers.

### Inchiostri base acqua Drop-On Demand Water Based Inks per superfici porose

Ink #	O.E.M. Ink #	PRINTER MAKE/MODEL	Product Type	Notes
108N	CPMA-75-108	Little David Microjet	Water	Direct Replacement
308	CPMA-75-308	Little David Microjet	Water	Direct Replacement
608/131L	CPMA-75-608	Little David Microjet	Water	Direct Replacement
131 Mark Point	Black Ink	Mark-Point Imaje	Water	Direct Replacement
124CL	CPMA75-124			

### Inchiostri base solvente Drop-On Demand per superfici non porose

Ink #	O.E.M. Ink #	PRINTER MAKE/MODEL	Product Type	Notes
201LC Mark Point	Black Ink	Mark Point Imaje	Ethanol	Black DOD For Use with Mark Point, Imaje Non-Porous The print of 201 will appear slightly lighter than 201. Even with the lighter appearance, the print intensity of 201 LC is similar, if not darker than, the OEM product. <b>24 month shelf life</b>
227LC Mark Point	Black Ink	Mark Point Imaje	Ketone	Black DOD For Use with Mark Point, Imaje Non-Porous <b>24 month shelf life</b>
SCP600	Black Ink	Matthews SCP 600	Ethanol	Black DOD <b>24 month shelf life</b>
SCP700	Black Ink	Matthews SCP 700	Ketone	Black DOD <b>24 month shelf life</b>
700C	solvent		Ketone	

### INCHIOSTRI PER CITRONIX

Ink #	Make-up #	OEM #	Product Type	Notes
C-100	C-100Y	302-1002-001	Mek	Yellow Pigmented ink.
C-101	C-101 Y	302-1001-002	Mek	Black ink.
C-102	C-102 Y	302-1032-001	Mek	Black plasticplus ink.
C-103	C-103 Y	302-1003-001	Mek	Black plastic ink.
C-104	C-104 Y	302-1008-003	Mek	Red Mek Ink.
C-105	C-105 Y	302 - 1012 - 003	Mek	Blue mek ink.
C-106	C-106 Y	302 - 1014 - 003	Mek	UV readable ink
C-107	C-107 Y	302 - 1017 - 003	Mek	Alch resist. Mek ink
C-108	C-108 Y	302 - 2001 - 002	Aceton	Black Aceton ink
C-109	C-109 Y	302 - 2008 - 001	Ace/eth	Aceton/Ethanol Black ink
C-110	C-110 Y	302 - 2011- 001	Aceton	Yellow pigmented Aceton ink
C-111	C-111 Y	302 - 4001 - 001	Ethanol	Ethanol Black Ink

## INCHIOSTRI MARKEM HOT MELT

Ink #	Markem	Product Type	Notes
57 BLK	Serie 5000 5002-5003-5005	Wax Ink	Wax Based Ink
98 BLK	Serie 5800		Wax Based Ink
96 BLK	Serie 962	Wax Ink	Wax Based Ink <b>used in 962 systems must be broken up in order to fit in 962 ink hopper.</b>
97 BLK	Serie 9064 90003 / 8093376 90005 / 8093378 90006 / 8093380 90007 / 8093382 90010 / 8093385	Wax Ink	Wax Based Ink

## VIDEOJET SERIE 1000

Ink #	Markem	Product Type	Notes
OS 410-D			black Mek ink cartridges 950 ml.
OS 705-D			make up cartridges 950 ml.
OS 401-D			black Mek ink cartridges 950 ml.
OS 701-D			make up cartridges 950 ml.
OS 401-D			black Mek ink cartridges 950 ml.
OS 706-D			make up cartridges 950 ml.
OS 410-AD			black Mek ink cartridges 950 ml.
OS 705-AD			make up cartridges 950 ml.
OS 401-AD			black Mek ink cartridges 950 ml.

OS 701-AD				make up cartridges 950 ml.
OS 411-AD				black Mek ink cartridges 950 ml.
OS 706-AD				make up cartridges 950 ml.
OS 495-D				FDA RED Ethanol ink cartridges 950 ml.
OS 496-D				FDA BLUE Ethanol ink cartridges 950 ml.
OS 730-D				FDA Ethanol make up cartridges 950 ml.
OS 906-D				FDA Cleaning solution 1 L bottle
OS 461-D				black Acetone ink cartridges 950 ml.
OS 709-D				make up cartridges 950 ml.
OS 903-D				Cleaning solution 1 L bottle
OS 490-C				white pigmented ink cartridges 950 ml.
OS-720-D				make up cartridges 950 ml.
OS 505-D				black Mek ink cartridges 950 ml.
OS 820-D				make up cartridges 950 ml.
OS 459-D				invisible ink cartridges 950 ml.
OS 701-D				make up cartridges 950 ml.
OS 412-D				black Mek ink cartridges 950 ml.
OS 717-D				make up cartridges 950 ml.
OS 507-D				black Mek ink cartridges 950 ml.
OS 822-D				make up cartridges 950 ml.
OS 506-D				black Mek ink cartridges 950 ml.
OS 814-D				make up cartridges 950 ml.